

ATM-LEVAGE

Location de grues, mini-grues & nacelles

ELAN FB

The rail-road flat bed



DIESEL STAGE V 27 KW

Green-e 15 KW

PAYLOAD

**6500
8000**
KG

FAST & EASY

**ON/OFF
TRACKING**



PLUGGABLE

TWIST LOCK MODULES 10' & 20'

ATM-LEVAGE

Location de grues, mini-grues & nacelles




Green-e POWER PACK OPTION

Electric motor max power 15 kW
Battery LFP 48V/200Amp/h .. ZERO emission range >10 km*
Max speed - Electric mode 3.5 kph
Battery recharge by diesel 50% / 45 min
Plug-in 110/220V-16A

*Following standard working cycle

GENERAL DATA

YANMAR HVO Diesel engine - STAGE V 27 kW
Dimensions 5 371 x 2 530 mm
Weight in operation up to 12 500 kg / 14 500 kg



TECHNICAL DATA

OFF-ROAD MODE

Rubber track x 2 2 500 x 400 mm
Hydrostatic drive 1 motoreducer/track
Off-road speed From 0 to 1,5 kph
Gradient capability Up to 45% on stable ground

RAIL MODE

Driven and braked axles x 2 NEOTEC EPV 06.32
Oscillating axle with hydraulic locks x 1
Brakes (disc/axle) Hydrostatic/Service/Park
Diameter of railway wheels Ø 580 mm
Max gradient 1/25 - 40‰/60‰ (option)
Max cant 200 mm
Inspection speed 5 kph
Max travelling speed 15 kph

OPTION

220/110V-3.5kVA Genset
Driving control station
Removable sideboards
Twist lock 10/20' modules



ELAN FB

with **WIRING MODULE**



1 000 DAN



1 x 2 500 KG



ON-BOARD Engine STAGE V
18 kW



FAST & EASY
ON/OFF TRACKING

**SELF
PROPELLED**
ROAD & RAIL



RADIO
REMOTE CONTROL

PLUGGABLE
10' TWIST
LOCK MODULE



DATA RECORDING

**TENSIONING
AUTOMATIC
CONTROL**



CLAN FB

with CRANE MODULE



HANDLING CRANE

3.3 TXM

HVO Engine STAGE V 27 kW

Green-e 15 kW

FAST & EASY

ON/OFF TRACKING

SELF PROPELLED

ROAD & RAIL

15 KPH

5 KPH

RADIO REMOTE CONTROL

4 HYDRAULIC

+ 1 MANUAL EXTENSIONS

2 040 KG

AT 1.7M OUTREACH

EN 15746

COMPLIANT

6 TONS

STORAGE AREA

9.00 m

6.90 m

CLAN FB

with TRANSPORT MODULE



HANDLING EQUIPMENT

3.3 TXM CRANE OR 500KG JIB WITH WINCH

HVO Engine STAGE V 27 kW

Green-e 15 kW

FAST & EASY

ON/OFF TRACKING

SELF PROPELLED

ROAD & RAIL

15 KPH

5 KPH

RADIO REMOTE CONTROL

SEATING FOR 6 PEOPLE

3 TONS STORAGE AREA

RACKS WITH TOOL DETECTION SYSTEM

ATM-LEVAGE

Location de grues, mini-grues & nacelles

Evolution in motion



NEOTEC

01 46 81 07 06

06 03 00 44 76

atmlevage@groupeatm.fr